



## HOURLY PRECIPITATION DATA

# MARYLAND AND DELAWARE AUGUST 2011

**VOLUME 61 NUMBER 8** 

ISSN 0364-538X

"I certify that this is an official publication of the National Oceanic and Atmospheric Administration (NOAA) It is compiled using information from weather observing sites supervised by NOAA/National Weather Service and received at the National Climatic Data Center, Asheville, North Carolina 28801."

**Director** 

**National Climatic Data Center** 

hom R. Karl

## **DAILY PRECIPITATION TOTALS**

	STATION		د														DA	Y OF	MC	)NTI	ł													
5 4 5	GAGE	STATION	TOTAL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	F		14.8 14.70			.1 .17	.1		Т	.1 T		.6 1.55		.1		.9 .37	4.0 2.80	.30	Т		.2 .59	.1 1.10	.1	.2 .10	.1			.9 .70		4.9 5.38				
I	7 7 7	MARYLAND BELTSVILLE FEDERALSBURG MILLERS 4 NE SAVAGE RIVER DAM	12.4 .0 P 9.8 3.26E	.4 P P	-	.1 - .2 P	-	-	.9 - .2 .3	.1 - .2 .1	1	- .5	.3	1	-	.5 - 1.8	3.0 - .4 P	-	1	-	.3 - 1.1	.1 - .5	1	1.8 - .6	-	-	-	.5 - .1 .6	1	3.7 - 2.1 P	1.0 - 2.6	-	-	-

## **HOURLY PRECIPITATION**

AUGUST 2011

MAKYLAND AND DELA		<u> </u>													P.M. HOUR ENDING											
<b>STATION</b>			A.M. HOUR ENDING												Р.	M. H(	OUR I	ENDI	NG				] ]			
SIMILON	DATE	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
DELAWARE																										
NEWARK UNIV FARM	3		.1														.1									.1
	7 9										.1			.2	.3		.1									.1
	11 13		1			4	7		1	2		.1	2	_	.1	.2		.2 .1	.2	.1		.1				.1
	14 18 19		.1			.4	.7	.6 .1	.1	.2	.1		.3	.5	.8	.1		.1			.1			.1		4.0
	20 21								.1			.2									.1					.1
	22 25											.1	.1				.1	.1				.1	.5			.1
	26 27							.1								.1	.2	.3	.3	.3	.2	.2	.3	1.5	1.5	.1 4.9
WILMINGTON NEW CASTLE	28 3	.7	.3	.5	.3	.2	.1	.1				.1	T		T	.14	Т						T	.01	.02	2.3
	4 6	.08	T	T	Т			Т	T											Т	T	T	Т	T	T	.00 T
	7 9		T .01	T T									.57	.97					T T							T 1.55
	13 14	.01	T	.02	.03 T	.53 T	.35	.20	.14	.02	.03	.27	.78	.03	T T T	.09 T T	.16	.05	.01	.01	.02					2.80
	15 16 18				1	1	.26	.05		T			Т	.30	1	1				T	Т				.28	.30 T
	19 21	.08	T	.02			.20	.03		.06	.03				Т	.01	.68 T	.13	.18	.01	1	Т	T		.26	1.10
	25 27									.00	.13	.08 T	.05	.04 .07	.09	.01	.02	.21	.08 .22	.29	.21 .15	.04 .85	1.80	.77	.17	.70
	28	.44	.28	.23	.32	.24	.04	Т	T	T	.01	T		Т	T	T										1.56
MARYLAND BELTSVILLE	1																	.4								.4
	3 6																	.7		.1	.1	.1				.1
	7 13 14									1		1		.2			.1 .1	.2			4	1.5	.9			.1 .5 3.0
	18 19		.1							.1		.1						.1	.2		.4	1.3	.9			.3
	21 25												.5	.9	.1	.8										1.8
	27 28	.1		.4	.1	.2	.1	.1				.1	.1	.1	.1	.2	.2	.5	.3	.2	.2	.2	.5	.6	.4	3.7
FEDERALSBURG	1 31	{ - -	-	-	-	-	-	-	q }{ -	q -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- -}	P -
MILLERS 4 NE	3 6																						.1 .2	.1		.2

PAGE 3

## **HOURLY PRECIPITATION**

STATION			A.M. HOUR ENDING											P.M. HOUR ENDING										ı		
STATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	TOTA
	7 9 13 14 18 21	.2								.1	.4	.1 .1 .1				1.4			.3	.6				.1 .9	.1 .2	2.5 1.8 .4 1.1 2.6 P P .3 .1 1.1 .3 P .5 .1 .6 P
SAVAGE RIVER DAM	25 27 28 1	.3 { -	.3	.5	.4	.6	.4	.1 q }		.1			.1		.1		.1		.1	.1	.2	.2	.2	.3	.7	2.1 2.6
SAVAGE REVER DAM	3 6 7 8	(-	{ -	-	.1	-	-	1	-	-	-	-	.1	.2	-	-	-	-	-	-	-	-	=	-	- }	P .3 .1 .1
	10 14 15 19 20	-	{ - -	-	.2	.1 - -	-	-	-	-	- - .1	-	-	-	-	-	- -	-	-	-	- - .5	-	-	-	- -}	P - .5 .1
	25 27		{ -	-	-	-	-	-	-	-	.1	.4	.1	-	-	-	-	-	-	-	-	-	-	-	- }	.6

## MONTHLY PRECIPITATION MAXIMA

STATION			MAXIMUM							
	N	<b>11NUTES</b>				HOUI	RS			ACCUMULATION
	15	30	45	1	2	3	6	12	24	
DELAWARE NEWARK UNIV FARM WILMINGTON NEW CASTLE	.7 27/2400	1.2 28/0015	1.4 28/0015	1.7 28/0015 1.80 27/2200	3.2 28/0015 2.65 27/2200	3.8 28/0030 3.42 27/2300	4.8 28/0400+ 4.31 28/0200	6.4 28/0430+ 5.76 28/0500	7.2 28/1400+ 6.94 28/1100+	
MARYLAND BELTSVILLE FEDERALSBURG	.9 21/1230	1.3 14/2045	1.5 14/2100	1.9 14/2115	2.5 14/2145	2.8 14/2215+	2.8 15/0115+	3.6 28/0330+	4.7 28/1030+	
MILLERS 4 NE SAVAGE RIVER DAM	.8 13/1445	1.3 13/1445	1.4 13/1500	1.4 13/1515+	1.4 13/1615+	1.5 28/0545+	2.8 28/0500+	4.2 28/0715+	4.7 28/1100+	

#### REFERENCE NOTES

Hourly Precipitation Data (HPD) are obtained from recording rain gages. The rain gage may be located at a National Weather Service, Federal Aviation Administration, or Cooperative Observer Station. HPD time resolution is 15 minutes or 1 hour. Published data are displayed at an hourly resolution. Precipitation values in this bulletin are in inches. Times are local standard.

#### Standard rain gage types:

F Weighing gage : reported in inches to tenths
T Tipping bucket : reported in inches to hundredths
U Weighing gage : reported in inches to hundredths
N Not specified

HPD maxima cover 9 time periods from 15 minutes to 24 hours and do not necessarily end on whole hours. Stations that report hourly data only will not have maxima computed for periods less than 1 hour. If any data are missing, no maxima are computed. MAXIMUM ACCUMULATION is the largest accumulated precipitation amount from times with unknown data distribution during a month. Clock mechanisms sometimes stick or stop; some of the special symbols in the HPD section are used when such "signatures" are found in the data.

Information contained in the station name:

- // Rain gage equipped with a wind shield.
- # Inactive station. Symbol found by station name in the Station Index.
- Experimental rain gage or unusual measurement procedure which may have some effect on HPD.

  Common types are:
  - rain gage with a heated orifice
  - \$2 rain gage with an automatic siphon
  - \$3 rain gage with a remote orifice and funnel
- 8 SW or other numbers and letters following the name, indicate the distance in miles, and the direction, from the nearest post office.

#### Special symbols in the HPD:

- a Begin accumulation sometime within the hour period or day period.
- A End accumulation during the day or hour. Will follow the distribution amount.
- \* Temporal distribution unknown. First HPD value that follows is the total accumulated amount.
- **E** Estimated monthly total by spatial modelling.
- i Incomplete hourly total. One (1) or more 15 minute periods are missing.
- I Incomplete daily or incomplete monthly total. One (1) or more periods are missing.
- P Daily or monthly total excludes highly suspect data value(s).
- q Hourly total excludes one (1) or more questionable 15 minute periods.

- Q Questionable 15 minute data. Seen in Maxima tables.
- R Time of occurrence is suspect. Amount is included in daily total.
- Trace amounts are included only for Federally funded meteorological observing sites.
- Value greater than 9.99 refer to Hourly Precipitation Section for daily total.
- **Z** Probable melting frozen precipitation included in total.
- [ Begin missing period during the hour (inclusive) or day.
- End missing period during the hour (inclusive) or day.
- Begin delete period during the hour (inclusive) or day.
- } End delete period during the hour (inclusive) or day.
- m Data missing for part or all of the period.
- Data deleted for part or all of the period.
- + Duplicate maxima for same time period; latest is shown.
- NOTE: Missing (m) flag in the MONTHLY PRECIPITATION TOTALS page represents missing and/or deleted data for part or all of period.
- NOTE: Only the first and last rows of long groups of missing (m), deleted (-), and accumulated (\*) data are shown.
- NOTE: The special symbols in the HPD appear as a suffix to type "F" values, or directly below type "T" and type "U" gage values.
- NOTE: TIPPING BUCKET precipitation gages become increasingly inaccurate with increasing rainfall intensities. TIPPING BUCKET gages also may NOT correctly report the amount or time distribution during frozen or freezing precipitation events (i.e. snow, hail, sleet, or freezing rain).
- NOTE: Users of data from this publication may notice that daily totals may differ from those listed in the CLIMATOLOGICAL DATA (CD) publication. There are two primary reasons for the differences. The first is because the precipitation values are measured by two different gage types. The second reason is that the totals may be measured at different times. Most manual measurements are made at or near 8 AM or 5 PM local time while the daily totals from the hourly precipitation gages are computed on a midnight (calendar day) basis.

The contents of this publication may be reprinted or otherwise used freely, with proper credit to the National Climatic Data Center and NOAA. The data presented are also available in digital form on magnetic tape and diskette.

SUBSCRIPTION, PRICE AND ORDERING INFORMATION AVAILABLE FROM;


NCDC Subscription Services Center 310 State Route 956


Building 300 Toll free: (866) 742-3322 Rocket Center, WV 26726 Fax: (304) 726-4409

### **STATION INDEX**

#### MARYLAND AND DELAWARE

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation Ft.	Years Of
DELAWARE NEWARK UNIV FARM WILMINGTON NEW CASTLE	6410 9595	NEW CASTLE NEW CASTLE	2 2	39 40 39 40	75 45 75 36	90 79	97 63
MARYLAND BELTSVILLE FEDERALSBURG MILLERS 4 NE SAVAGE RIVER DAM	0700 3090 5934 8065	PRINCE GEORG CAROLINE CARROLL GARRETT	5 1 1 5	39 02 38 42 39 43 39 31	76 56 75 46 76 48 79 08	145 20 860 1495	73 40 24 64
		PAGE 7					





To change your address, please return a copy of your mailing address along with your new address to:

NOAA\National Climatic Data Center Attn: User Engagement & Services Branch 151 Patton Avenue Asheville, NC 28801-5001

Customer Services Number: (828) 271-4800, option 2

TDD: (828) 271-4010

Fax number: (828) 271-4876

Inquiries/Comments Call: (828) 271-4800, option 2 (Customer Services)

(828) 271-4010 (TDD) (828) 271-4876 (Fax)

NOAA\National Climatic Data Center Attn: User Engagement & Services Branch 151 Patton Avenue Asheville, NC 28801-5001 PRSRT STD
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G-19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED