



HOURLY PRECIPITATION DATA

VIRGINIA

FEBRUARY 2011

VOLUME 61 NUMBER 2

ISSN 0364-6874

"I certify that this is an official publication of the National Oceanic and Atmospheric Administration (NOAA) It is compiled using information from weather observing sites supervised by NOAA/National Weather Service and received at the National Climatic Data Center, Asheville, North Carolina 28801."

Director

National Climatic Data Center

Thom R. Karl

DAILY PRECIPITATION TOTALS

_	IRGINIA															<u> </u>	` =													XY Z			
	STATION	H														DA	Y OF	МС	NTI	I													
GAGE	DIATION	TOTAL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Ĕ	VIRGINIA	1																															
F		1.7 P	I	.2							Р											.1R		.7R		.7P	_	_	_	_			
F	BEDFORD 4 NW	1.9	_	.2							-													.,		.8	.1			.8			
F	BLACKSBURG NWSO	2.8	.1	.4			.1																			1.2			1.0				
F	BREMO BLUFF	1.8	.2	.5												.1								.1		.2	.2			.5			
F	CAMP PICKETT	.0 P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-			
F	СНАТНАМ	.0 P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
F	COVINGTON FLTR PLT	1.7	.1	.2																				.1		.6	.1			.6			
F	GALAX WTP	2.5	.1	.1			.1																			.6	.1			1.5			
F		2.1	.2	.3																				.1		.6	.2			.7			
F	HOT SPRINGS	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	_	-	_	-	-	-	-	-	_	-	-	-	-			
F	JOHN H KERR DAM	1.6		.1	1	.1	.4																				.5			.5			
Т		2.12	.15	.24		Т	.06				Т	T											T	.06		.65	.19		.01	.76			
F	MILLGAP 2 NNW	.0 P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Т	NORFOLK INTL AP	2.24	Т	.15		Т	.80		.16	.02	.10	.30												.01		.02	.06		Т	.62			
F	PAINTER 2W	.0 P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
F	PIEDMONT RSCH STN	1.7	.2	.5																			.1	.1		.2	.1			.5			
F	PULASKI 2 E	2.7		.2																						1.0	.3			1.2			
Т		2.09	.04	.36		Т	.22					Т										Т		.08		.18	.44		.04	.73			
Т		2.20	.10	.17			.04		Т		.04	Т											T	.04	Т	.88	.13		Т	.80			
F	ROCKY MT	2.2	.2	.3			.1																			.7	.1			.8			
F	STAFFORDSVILLE 3 ENE	2.4	.3	.1																						.9	.1			1.0			
F		.0 P	P	_	-	-	-	_	_	_	-	-	_	-	-	-	-	-	_	-	-	-	_	_	_	_	_	_	_	_			
F	TROUT DALE 3 SSE	2.1	.62				.03	.03				.01									.02		.23			.94	.19		.11				
F	WAKEFIELD 1NW	1.1	.1	.2			.3									.1											.1			.3			
N		2.21	.11	.59			.16			Т	Т											.01	.22	.08		.13	.20		Т	.71			
N		2.12	.10	.66			.14			.01	.01	Т										T	.14	.07		.06	.27			.66			
F	WILLIAMSBURG 2 N	1.4		.2			.3		.1																	.1	.2			.4			
F	WILLIAMSVILLE 2 S	1.3	.3	.1																						.4	.2			.3			
F	WILLIS	2.6		.2																						.9	.2			1.3			
F	WISE 3E	4.2	.2	.2						.1	.1		.1										.1			1.0	.6		.1	1.7			
F	WOOLWINE	2.50E	.2	.5I	m	m	m	I																		.4	.3			1.1			
F	WYTHEVILLE 1 S	2.6		.1																						.8	.3			1.4			

STATION						A	.M. H	OUR	ENDI	NG								P.	М. Н	OUR I	ENDI	NG				la la
STATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
ALTAVISTA	1 2	[m	m .1	m .1	m	m	m	m	m	m	i]															I .2
	9 20		.1R			{ q	-	-	-	-	-	q }														P .1R
	22 24		.1R	.1R	.1R			.1R	.1R	.1R							.1R .7R							{ q	_	.7R .7P
BEDFORD 4 NW	28 2	-	-	- .1	.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- }	.2
	24 25						.1							.1	.1	.1	.1			.1	.2	.1				.8 .1
BLACKSBURG NWSO	28													.2	.1	.1	.1	.1	.1	.1				.1		.8
	2 5 24	.3		.1									.2	.2	.1		.1 .1		1		2					.4 .1 1.2
BREMO BLUFF	27 1												.2	.2	.1		.1		.1 .2	.2 .2	.3 .1	.2	.2	.1	.2	1.0
BALMO BLOTT	2 14	.1	.1	.2																				.1 .1	.2	.5
	22 24		.1														.1				.1					.1 .2
	25 28							.1	.1							.2	.1	.1	.1							.2 .5
CAMP PICKETT	1 28	-	{ - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- - }	P -
СНАТНАМ	1 28	-	{ - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- -}	P -
COVINGTON FLTR PLT	1 2	.2																					.1			.1
	2 22 24 25	.1 .1												.1	.1			.1		.1	.1	.1				.1 .6
GALAX WTP	28 1	.1										.1	.1		.1	.1	.1	.1						.1		.6 .1
O. Z. III W. I	2 5	.1				.1																				.1
	24 25					.1					.1	.1		.1		.1		.1	.1							.6 .1
GATHRIGHT DAM	28 1													.2	.5	.1	.2	.3	.2				.1	.1		1.5 .2
	2 22	.2 .1	.1																							.3 .1
	24 25					.1		.1						.1		.1			.1		.1		.1	.1		.6
HOT SPRINGS	28 1 28	{ -	-	-	-	-	-	-	-	-	-	.1	.1 -	-	.1 -	.1 -	.2	.1 -	-	-	-	-	-	-	-	.7
JOHN H KERR DAM	28 2 4	-	-	.1	-	-	-	-	-	-	-	-	-		-	-		-	-	-	-	.1	-	-	- }	.1 .1
	5 25								.2 .1	.2 .2	.2											.1				.1 .4 .5

FEBRUARY 2011

STATION						A	.M. H	OUR I	ENDI	NG								P.	М. Н	OUR I	ENDII	NG				l
STATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
LYNCHBURG INTL AP	28 1														Т	Т	Т			.3	.2 T	Т	.04	.05	.06	.5 .15
	2 4 5	.01	.14	.05	.03	T	.01	.03	.01		Т	01	Т		T	T	Т									.24 T
	9 10	Т		T			.01	.00	.01			.01	-												T	T T
	21 22 24	.01	.05	T	Т	T							Т	.09	.12	.11	.04	Т	.04	.13	.09	.03	T		T	.06
	25 27				Т	T	.11	.04	.04	T			1	.09	.12	.11	.04	1	.04	.13	.0 <i>)</i> T	.03	1			.19
MILLGAP 2 NNW	28 1 28		{ -	-	-	-	-	-	-	-	-	-	-	T -	.22	.13	.15	.14 -	.11 -	.01	-	-	-	-	-	.76 P
NORFOLK INTL AP	1 2	T	-	T	T .03	T .04	.02	T	T .01	T T	.01	.02	.02	-	-	-	-	-	-	-	-	-		-	- } T	T .15
	4 5 7			T	Т	.01	T	Т	.01	.03	.21	.25	.12	.13	.02	T	.01	.01	T	T T	.02	T .09	.03		.02	.80 .16
	8 9	.01	.01																		.02	.09	.02	.06	.02	.02
	10 22 24	.05	.04	.10	.01 T	.07 .01	.01	.01	.01 T	T T	Т								Т	.01	.01	Т	T			.30 .01 .02
	25 27		T	.01	.01						Т	.02	.02				Т		-	.01		T			Т	.06 T
PAINTER 2W	28 1 28	_	{ - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.17 - -	.16 - -	.11	.06 - -	.12 - - }	.62 P
PIEDMONT RSCH STN	1 2	.1	.2		.1								.1												.2	.2
	21 22 24		.1															.1				.1			.1	.1 .1 .2
PULASKI 2 E	25 28 2	1	.1					.1						.2		.1	.1	.1								.1 .5
PULASKI 2 E	24 25	.1	.1			.2	.1			.1	.1	.1	.2	.1	.1		.1		.1	.1						.2 1.0 .3
RICHMOND INTL AP	28 1 2	T .05	T .09	T .16	.02	.02	T	T T	T .01	T .01				.2	.3	.1	.1	.4	.1				Т	T	.04	1.2 .04 .36
	4 5	Т	T	.02	.01	.01	.01	.01	.03	.07	.01	.03	Т	.01	Т	T T	T .01	Т	T							T .22
	10 20 22	T T	T .02	T .06	T	T	Т	Т	Т		Т	Т	T									T				T T
	24 25 27							Т	.02	.40	.02	Т	-			T	.02	.08	.04	.01	.03	T .04	Т			.18

PAGE 4

FEBRUARY 2011

STATION					_	A.	.М. Н	OUR 1	ENDI	NG								P.	М. Н	OUR I	ENDI	NG] 1
SIATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
ROANOKE INTL AP	28 1 2 5	.07	.09	.01	Т	.01	Т	Т	.02	.01	Т	Т	Т	Т			.18	.09	.19	.21 T	.06 T	Т	T .05	T .04	T .01	.73 .10 .17 .04
	7 9 10	Т				.01	1	1	.02	.01	1	Т	I	T	T				T				Т	T T	.04	.04 T .04 T
	21 22 23	.02 T	.02	T			T	Т									Т	T							Т	.04 T
	24 25 27	1			Т	T .01	.11	T	.01	T	Т	.04 T	.13	.14	.14 T	.05 T	.02	.01	.08	.12	.12 T	.03 T	T	T		.88 .13 T
ROCKY MT	28 1	.1	.1	.1								Т	T	.20	.18	.15	.04	.13 .1	.10	Т	•	•		.1		.80
	2 5 24 25							.1 .1					.1	.1	.1		.1		.1	.1	.1					.1 .7 .1
STAFFORDSVILLE 3 ENE	28 1	.1														.3	.2	.1	.1	.1			.1	.1	.1	.8 .3 .1
	2 24 25 28					.1					.1	.1 .1	.2	.1	.1	.1	.3	.1 .1	.1	.1						.9 .1 1.0
STAR TANNERY TROUT DALE 3 SSE	1 28 1	-	{ - -	-	-	-	-	-	-	- - .12	- - .1	- - .07	-	-	-	-	- - .1	- - .11	- - .02	- - .1	-	-	-	-	- -}	P - .62
	5 6 10					.03		.01										.03								.03 .03 .01
	19 21 24			.02	.01						.18	.26	.1			.08				.12	.02 .16	.2	.04			.02 .23 .94
WAKEFIELD INW	25 27 1	.05	.03						.07	.04						.1		.08	.03							.19 .11 .1
	2 5 14					.1						.2	.1			.1										.2 .3 .1
WASHGTN DULLES INTL AP	25 28 1		T	T	T	T	T	T	T	T			.1				.1					.1 T	T	.06	.1 .05	.1 .3 .11
	2 5 8	.16 T	.20 T	.15 .01 T	.01 T	.03 T	.02 T	.02 .02	.02	.02	.02	.02	.01	.01	T	.01	Т	T	_	.02	T			_	_	.59 .16 T
	9 20 21			_			_					Т	T	Т			.01	T	T .01	T T T	T .01 .01	T .01	T .06	T .08	T .04	.01 .22
	22 24	.03	.04	Т	Т	.01	T									T	Т	.02	.01	Т	.01	T	.02	.02	.05	.08

PAGE 5

FEBRUARY 2011

STATION						A.	М. Н	OUR I	ENDI	NG								P.	М. Н	OUR 1	ENDI	NG				L
STATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL
	25 27	.01	T	T	Т	.01	.03	.12	.01		.01		.01	Т	Т										Т	.20 T
WASHINGTON REAGAN AP	28 1	.28	.04	T	Т	T	T	Т	T	T	Т	.01	.11	.13	.04	.04	.02	.03	T	Т	.01 T	T	Т	.05	.05	.71 .10
	5	.10	.21 T	.24 T	.04 T T	.02 .01	.04 T	.01 T	T .01	T .03	.03	.02	.01	.01	T	.01	Т	T			.01					.66 .14
	8 9 10	Т		.01	1															Т	T	.01	Т	T	T	.01 .01 T
	20 21												T	.01			Т	T	T	.01	T T	T	.01	.07	.04	T .14
	22 24 25	.03	.03	T	T	.01	T T	T	10	0.4		0.1			02		Т	T	T	Т	T		Т	.03	.03	.07 .06
WILLIAMSBURG 2 N	28 28 2	T .02	.10	.02	.1		1	.09 T .1	.10	.04	Т	.01	T	.13	.03 .02	.07	.10	.11	.08	.01	T	T	Т	T		.27 .66 .2
William and the control of the contr	5 7									.1	.2										.1					.3
	24 25										.1	.1							.1							.1
WILLIAMSVILLE 2 S	26 28 1																			.2	.1	.1		.1	.1	.1 .4 .3
	2 24										.1	.1					.1			.1		.1				.1 .4
	25 28			.1		.1								.2	.1											.2
WILLIS	2 24 25			.2			.1					.1	.1 .1	.1	.2		.1		.1	.1	.1					.2 .9 .2
WISE 3E	28 1						.1								.4	.2	.2	.1	.2	.2			.1	.1		1.3
	2 8							.1										.1			.1					.2
	9 11 21																	.1				.1			.1	.1 .1 .1
	24 25				.3	.1			.1		.1	.2	.1	.1	.1 .1		.1	.2	.1						.1	1.0
	27 28											.2	.2	.2	.1 .4	.2	.3	.1							.1	1.7
WOOLWINE	1 2 6	.1 m	.2 m	.1 m	m	m	m	m	m	m	m	.1 i]							[i	m	m	m	.1 m	m	.1 m	.2 .5I I
	24 25	111	.1	***		***	.1	"'	***		""	.1	.1	.1			.1		.1							.4
WYTHEVILLE 1 S	28 2	.1													.3	.3	.1	.1	.3							1.1
	24 25 28					.2				.1	.1 .1	.1	.2	.1	.1	.2	.1	.4	.1 .1							.8 .3 1.4

PAGE 6

VIRGINIA

HOURLY PRECIPITATION

STATION						A. I	м. н	OUR I	ENDI	NG								P.N	И. НО	OUR E	ENDIN	IG				ı
STATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	TOTAL

MONTHLY PRECIPITATION MAXIMA

OT A TION					MAXIMUM					
STATION	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	IINUTES			A FOR M	HOUI				ACCUMULATION
		IIIVUIES	1			11001				ACCOMOLATION
	15	30	45	1	2	3	6	12	24	
ALTAVISTA BEDFORD 4 NW BLACKSBURG NWSO BREMO BLUFF CAMP PICKETT CHATHAM COVINGTON FLTR PLT GALAX WTP GATHRIGHT DAM HOT SPRINGS JOHN H KERR DAM LYNCHBURG INTL AP MILLGAP 2 NNW NORFOLK INTL AP PAINTER 2W PIEDMONT RSCH STN PULASKI 2 E RICHMOND INTL AP ROANOKE INTL AP ROANOKE INTL AP STAFFORDSVILLE 3 ENE STAR TANNERY TROUT DALE 3 SSE WAKEFIELD INW WASHGTN DULLES INTL AP WASHINGTON REAGAN AP WILLIAMSBURG 2 N WILLIAMSBURG 2 N WILLIS WISE 3E WOOLWINE WYTHEVILLE 1 S	.2 28/1300 .2 24/2000 .1 28/1745+ .1 28/1700+ .3 28/1400 .1 28/1630+ .2 25/0900 .1 28/1845+ .1 28/1715+ .1 28/2400+ .1 28/241400+ .3 28/1345 .2 28/1345 .1 28/1745+	30 2 28/1315+ 2 27/1915+ .1 28/1800+ .1 28/1715+ .3 28/1415+ .1 28/1645+ .3 25/0915 .2 28/1230 .2 28/1700+ .2 28/1430 .2 28/1600+ .1 28/2400+ .2 28/1845 .1 28/1415+ .4 28/1400 .3 28/1345 .2 28/1700+	.2 28/1330+ .3 24/2000 .2 02/0300+ .2 02/0300+ .2 28/1430+ .2 28/1630+ .3 25/0930+ .2 28/1245+ .3 28/1700+ .2 28/1630+ .2 28/16400 .2 05/1130+ .2 28/1245+ .4 28/1415+ .4 28/1345 .3 28/1700+	1 2 28/1815+ 3 27/1915+ 2 28/1745+ 5 28/1400 2 28/1645+ 4 25/0945 22 28/1400 25 05/1100 2 28/1300+ 4 28/1700 40 25/0900 3 28/1500 3 28/1500 2 05/1145+ 28 28/0100 24 02/0300 2 28/23015+ 2 28/1300+ 5 28/1430 4 28/1400+ 4 28/1700+	2 .4 28/1445 .5 24/2000 .3 28/1745+ .3 28/1545 .8 28/1430 .4 28/1630 .5 28/2000+ .35 28/1500 .46 05/1100 .4 02/0115 .6 28/1730 .42 25/1000+ .38 28/1400 .5 28/1600 .5 28/1715 .4 24/1100 .3 05/1215+ .36 02/0200 .45 02/0300 .4 28/2015 .3 28/1400+ .7 28/1530+ .6 28/1745+	3 .5 28/1545+ .6 24/2015+ .4 28/1745+ .9 28/1530 .5 28/1630 .5 28/2100+ .50 28/1600 .58 05/1200 .5 02/0215+ .7 28/1730 .49 28/1900 .5 28/1630+ .6 28/1630+ .5 24/1200 .3 05/1315+ .51 02/0300 .55 02/0310 .4 28/2115+ .3 28/1500+ .8 28/1630+ .9 28/1600+ .8 28/1745+	.8 28/1845+ 1.0 27/2300+ .6 02/0500+ .5 28/1715+ 1.5 28/1830+ .6 28/1715+ .5 28/2400+ .76 28/1900 .76 05/1400 .6 02/0515+ 1.2 28/1800+ .73 28/2100+ .80 28/1800+ .9 28/1800+ .9 28/1800+ .3 05/1615+ .63 02/0400 .69 02/0400 .4 28/2400+ .3 28/1800+ 1.3 28/1930+ 1.5 28/1645+ 1.3 28/1745	8 28/2400+ 1.2 24/2300+ .6 02/1100+ .6 28/2230+ 1.5 28/2400+ .7 28/2215+ .5 28/2400+ .76 28/2400+ .79 05/1900+ .6 02/1115+ 1.2 28/2400+ .73 28/2400+ .8 24/2200+ .8 28/2400+ 1.0 28/2230+ 9 24/2100 .3 28/2400+ .70 02/1000+ .76 02/1000+ .4 28/2400+ .13 28/2400+ .13 28/2400+ .14 28/2400+ .15 28/2215+ 1.4 28/2045+	24 .9 25/1215+ 1.2 25/1100+ .7 02/2300+ .7 25/1200+ 1.5 28/2400+ .8 25/1230+ .5 28/2400+ .84 25/1200+ .80 06/0400+ .7 02/2315+ 1.3 25/0845+ .77 28/2000 1.01 25/1000+ .8 28/2400+ 1.0 28/2400+ .10 25/0900+ .3 28/2400+ .71 28/2400+ .76 02/2200+ .4 28/2400+ .6 25/1030+ 1.3 28/2400+ 1.7 28/2400+ 1.7 28/2400+ 1.7 28/2400+ 1.7 28/2400+ 1.7 28/2400+ 1.7 28/2400+ 1.8 28/2400+ 1.9 28/24	

REFERENCE NOTES

Hourly Precipitation Data (HPD) are obtained from recording rain gages. The rain gage may be located at a National Weather Service, Federal Aviation Administration, or Cooperative Observer Station. HPD time resolution is 15 minutes or 1 hour. Published data are displayed at an hourly resolution. Precipitation values in this bulletin are in inches. Times are local standard.

Standard rain gage types:

F Weighing gage : reported in inches to tenths
T Tipping bucket : reported in inches to hundredths
U Weighing gage : reported in inches to hundredths

N Not specified

HPD maxima cover 9 time periods from 15 minutes to 24 hours and do not necessarily end on whole hours. Stations that report hourly data only will not have maxima computed for periods less than 1 hour. If any data are missing, no maxima are computed. MAXIMUM ACCUMULATION is the largest accumulated precipitation amount from times with unknown data distribution during a month. Clock mechanisms sometimes stick or stop; some of the special symbols in the HPD section are used when such "signatures" are found in the data.

Information contained in the station name:

- // Rain gage equipped with a wind shield.
- # Inactive station. Symbol found by station name in the Station Index.
- \$ Experimental rain gage or unusual measurement procedure which may have some effect on HPD.

 Common types are:
 - \$1 rain gage with a heated orifice
 - \$2 rain gage with an automatic siphon
 - \$3 rain gage with a remote orifice and funnel
- 8 SW or other numbers and letters following the name, indicate the distance in miles, and the direction, from the nearest post office.

Special symbols in the HPD:

- a Begin accumulation sometime within the hour period or day period.
- A End accumulation during the day or hour. Will follow the distribution amount.
- * Temporal distribution unknown. First HPD value that follows is the total accumulated amount.
- E Estimated monthly total by spatial modelling.
- i Incomplete hourly total. One (1) or more 15 minute periods are missing.
- I Incomplete daily or incomplete monthly total. One (1) or more periods are missing.
- P Daily or monthly total excludes highly suspect data value(s).
- q Hourly total excludes one (1) or more questionable 15 minute periods.

- Q Questionable 15 minute data. Seen in Maxima tables.
- R Time of occurrence is suspect. Amount is included in daily total.
- Trace amounts are included only for Federally funded meteorological observing sites.
- X Value greater than 9.99 refer to Hourly Precipitation Section for daily total.
- **Z** Probable melting frozen precipitation included in total.
- [Begin missing period during the hour (inclusive) or day.
- End missing period during the hour (inclusive) or day.
- Begin delete period during the hour (inclusive) or day.
- } End delete period during the hour (inclusive) or day.
- m Data missing for part or all of the period.
- Data deleted for part or all of the period.
- + Duplicate maxima for same time period; latest is shown.
- NOTE: Missing (m) flag in the MONTHLY PRECIPITATION TOTALS page represents missing and/or deleted data for part or all of period.
- NOTE: Only the first and last rows of long groups of missing (m), deleted (-), and accumulated (*) data are shown.
- NOTE: The special symbols in the HPD appear as a suffix to type "F" values, or directly below type "T" and type "U" gage values.
- NOTE: TIPPING BUCKET precipitation gages become increasingly inaccurate with increasing rainfall intensities. TIPPING BUCKET gages also may NOT correctly report the amount or time distribution during frozen or freezing precipitation events (i.e. snow, hail, sleet, or freezing rain).
- NOTE: Users of data from this publication may notice that daily totals may differ from those listed in the CLIMATOLOGICAL DATA (CD) publication. There are two primary reasons for the differences. The first is because the precipitation values are measured by two different gage types. The second reason is that the totals may be measured at different times. Most manual measurements are made at or near 8 AM or 5 PM local time while the daily totals from the hourly precipitation gages are computed on a midnight (calendar day) basis.

The contents of this publication may be reprinted or otherwise used freely, with proper credit to the National Climatic Data Center and NOAA. The data presented are also available in digital form on magnetic tape and diskette.

SUBSCRIPTION, PRICE AND ORDERING INFORMATION AVAILABLE FROM;


NCDC Subscription Services Center 310 State Route 956

Building 300 Toll free: (866) 742-3322 Rocket Center, WV 26726 Fax: (304) 726-4409

STATION INDEX

VIRGINIA FEBRUARY 2011

Station	Index No.	County	Drainage	Latitude	Longitude	Elevation Ft.	Years Of
ALTAVISTA BEDFORD 4 NW BLACKSBURG NWSO BREMO BLUFF CAMP PICKETT CHATHAM COVINGTON FLTR PLT GALAX WTP GATHRIGHT DAM HOT SPRINGS JOHN H KERR DAM LYNCHBURG INTL AP MILLGAP 2 NNW NORFOLK INTL AP PAINTER 2W PIEDMONT RSCH STN PULASKI 2 E RICHMOND INTL AP ROCKY MT STAFFORDSVILLE 3 ENE STAR TANNERY TROUT DALE 3 SSE WAKEFIELD 1NW WASHGTN DULLES INTL AP WASHINGTON REAGAN AP WILLIAMSBURG 2 N WILLIAMSBURG 2 N WILLIAMSVILLE 2 S WILLIS WISE 3 E WOOLWINE WYTHEVILLE 1 S	0166 05666 0769321614 202716142059 331214105995215 6471551382467 772832467 772832467 889051599 9156677293	CAMPBELL BEDFORD MONTGOMERY FLUVANNA NOTTOWAY PITTSYLVANIA ALLEGHANY CARROLL ALLEGHANY BATH MECKLENBURG CAMPBELL HIGHLAND NORFOLK (CIT ACCOMACK ORANGE PULASKI HENRICO ROANOKE FRANKLIN GILES FREDERICK GRAYSON SUSSEX LOUDOUN ARLINGTON YORK BATH FLOYD WISE PATRICK WYTHE	15 92791995571195511614 13991671	37 12 37 12 37 43 37 49 37 36 49 37 36 39 37 38 37 38 37 38 37 38 37 38 38 38 38 38 38 38 38 38 38 38 38 38	79 10 79 34 80 25 78 17 77 29 55 79 55 79 55 79 18 12 76 49 78 04 77 79 54 80 47 77 79 54 80 47 77 02 81 24 77 08 82 32 81 06	515 1220 2120 2330 6230 12360 12360 12360 12360 12360 1245 131550 2530 131550 2813 12910 1640 2545 12910 1640 2545 2640 2740 2740 2740 2740 2740 2740 2740 27	65 167 258 315 315 315 315 315 315 315 315 315 315
		PAGE 10					



To change your address, please return a copy of your mailing address along with your new address to:

NOAA\National Climatic Data Center Attn: User Engagement & Services Branch 151 Patton Avenue Asheville, NC 28801-5001

Customer Services Number: (828) 271-4800, option 2

TDD: (828) 271-4010

Fax number: (828) 271-4876

Inquiries/Comments Call: (828) 271-4800, option 2 (Customer Services)

(828) 271-4010 (TDD) (828) 271-4876 (Fax)

NOAA\National Climatic Data Center Attn: User Engagement & Services Branch 151 Patton Avenue Asheville, NC 28801-5001 PRSRT STD
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G-19

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
CHANGE SERVICE REQUESTED